

Mara C. Galvin, MD
Eugene H. VandenBoom, MD
Carla R. Pearman, MD
Cathanie W. Halberstadt, MD
Lisa L. Amsterdam, MD
Johanna G. Finkle, MD
Courtney A. Angell, MD
Crystal D. Taylor, DO
Mary E. Brulja, DO
Susan M.S. Ezell, DO
Julia C. Johnson, MD

MonaLisa Touch® Pre-Internal and External Treatment Instructions

It is important to follow your treatment provider's instructions before and after treatment.

Pre-Treatment Recommendations:

- · Refrain from vaginal sexual activity for 48 hours before treatment.
- \cdot Shower or bathe the morning of treatment, so that the area to be treated is clean
- \cdot Closely clip or trim the vulvar area before your treatment.
- · Dress in loose fitting pants and cotton underwear on the day of treatment.
- · Your care provider will apply topical anesthetic to the vulvar area prior to treatment to minimize treatment discomfort.
- · Purchase supplies and medications needed for post-treatment care before treatment date.
- · Stop using all vaginal creams for 72 hours prior to the procedure.

Patient Supplies Needed:

Moisturizing occlusive ointment, such as Aquaphor® Healing Ointment or Vaseline® ointment.

Gentle, hypoallergenic skin cleanser such as Cetaphil.

Cold gel packs.

Patient prescriptions as directed by physician: antiviral and/or others.